

Kompakt



ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions



Lucchetti di alta qualità in ottone massiccio

Top quality solid brass padlocks

Scatola Box


Caratteristiche tecniche:

- **Chiave**
3 per lucchetto
Estrazione chiave solo a lucchetto chiuso
(escluso 30 e 40 mm.)
- **Gancio**
Acciaio cementato e cromato
Rotazione 90° (30 e 40 mm. rotazione 360°)
- **Catenaccio**
2 in acciaio (30 e 40 mm. in ottone)
- **Corpo**
Ottone massiccio, spigoli arrotondati,
protetto con vernice trasparente
- **Confezione**
In scatola
- **Meccanismo**
Contropistoncini a fungo antigrimaldello
Pistoncini in ottone
Molle in acciaio inox

Features:

- **Key**
3 each padlock
Key withdrawal with shackle closed
(except 30 and 40 mm.)
- **Shackle**
Chrome plated case-hardened steel
Rotation 90° (30 and 40 mm. rotation)
- **Locking**
2 in hardened steel (30 and 40 mm. in brass)
- **Body**
Solid brass with rounded corners protected
by varnish and glazed
- **Packaging**
Box
- **Mechanism**
Antipick mushroom drivers
Brass pins
Inox springs





Scatola Box

Codice / Code	A	Ø	B mm	C	D				
---------------	---	---	---------	---	---	--	--	--	--

Gancio Standard Standard Shackle




PL040 30 00	29	5	13	11	16	3	PK100 55 01	70	12
PL040 40 00	40	6	22	22	21	4	PK100 57 01	165	12
PL040 50 00	50	8	25	24	24	4	PK100 57 01	240	6
PL040 60 00	60	10	30	30	26	4	PK100 63 01	372	6
PL040 70 00	70	12	38	35	28	4	PK100 63 01	520	4
PL040 80 00	80	14	38	38	31	4	PK100 53 01	720	4


Chiavi grezze (Ottone nichelato) Key blanks (Nickel plated brass)




30 mm	PK100 55 01	50



40-50 mm	PK100 57 01	50



80 mm	PK100 53 01	100



60-70 mm	PK100 63 01	50



ASSA ABLOY Italia S.p.A.
Via Modena 68 - 40017 San Giovanni in Persiceto (BO) Italy
Tel. +39 051 6812411 - Fax +39 051 827486
info@assaabloy.it - www.assaabloy.it

ASSA ABLOY is the
global leader in door
opening solutions,
dedicated to satisfying
end-user needs for
security, safety and
convenience.

www.assaabloy.com

